









MEDDICATE INTERNATIONAL









Anal Toys









ANAL TOYS COLLECTION

Product Picture	Name	Description	Art #
Anal Beads & Balls			
	GREYGASMS GOLDEN GEISHA BENWA KEGEL BALLS	Dimensions: 3.3 x 3.3 x 3.3 centimetres	OW-11200
	STRINGED BEN WA KEGEL BALLS	Dimensions: 17.3 x 4.6 x 10.7 centimetres	OW-11201
Anal Hooks / Bondage Hooks			
	ANAL HOOK STEEL	160mm length	OW-11301
	Anal Hook Steel	Big Balls Hook	OW-11302
	ANAL TAIL HOOK	Length : 140mm Diameter : 65mm Ball Size : 20mm Wide : 6mm Rope Ring Length : 30mm	OW-11304
	FLAT HOOK ANAL BEADS ENTEROCLYSM	Length 17cm - diameter 1.1cm	OW-11303
	Metal Anal Plug Steel Anal Hook	240mm length Ball Sizes 35mm , 40mm	OW-11300



MEDDICATE INTERNATIONAL

	THE ANAL HOOK	Insertable Length : 5" Diameter : 1.5" Ball Diameter : 1.5" Circumference : 5"	OW-11305
	TRIPLE HOOK ANAL HOOK FOR BONDAGE	Diameter ball : 35, 40, 55mm	OW-11306
Anal Plugs			
	6 BALLS PLUG	Total length of about 180mm, weight 420g. have 6 balls, 3 big 3 small maximum ball diameter is about 28mm the ball diameter is about 20mm	OW-11409
	BIG EROS DOME	Approximate Dimensions [Metric/US]:Ball Size: 1X 40mm [1X 1-1/2"]	OW-11403
	EROS ECSTASY	Approximate Dimensions [Metric/US]:Ball Sizes: 3X 16mm and 3X 25mm	OW-11404
	EROS INVADER	Approximate Dimensions [Metric/US]:Ball 185mm [7-1/4"]	OW-11405
	LONG EGG PLUG	Total length of about 170mm plug the maximum about 40mm in diameter shank diameter about 7mm	OW-11408
	MASTER PHALLUS	Heads 2X 1-1/2"	OW-11406

MEDDICATE INTERNATIONAL

	MEN ANAL BALL	Size: fun ring diameter 45mm or 50mm (Options), pipe diameter 8mm, ball position can be sliding around, the ball contains two sizes are 38mm, 50mm. Anal suppository effective length (using the 50mm ball is the length of 80mm, 38mm ball with the length of 68mm)	OW-11400
	PFUN PLUG STAINLESS STEEL	Dimensions: Approx 4.75" end to end 3.5" long insertable length 1.25" wide sculpted head	OW-11402
	PURE PLUG STAINLESS STEEL	Available in Small, Medium, or Large. Or order all 3 for a special price! Dimensions: Small - 1" bulb, Approx 3.75" end to end Medium - 1.25" bulb, Approx 3.75" end to end Large - 1.5" bulb, Approx 3.75" end to end	OW-11401
	SHORT EGG PLUG	The maximum diameter is about 110mm products for about 40mm with the diameter about 7mm	OW-11407
	STAINLESS STEEL ANAL PLUG	The length: 15.5cm, the biggest diameter: 3.5cm	OW-11411
	THE STEEL PHALLIC INTRUDER SUPER LONG XL HEAVY STAINLESS STEEL FULL SOLID	Size: 31.5 cm of full length, 23.0 cm of insertable length and 4.0 cm in diameter at its widest point.	OW-11410










Ball Stretchings

	BALL CRUSHER BALL WEIGHT	Stainless Steel Ball weight/ball crusher. Secure the removable steel ball weight ring around their scrotum then snap the weight into the crusher	OW-11519
	BALL CRUSHER CHAMBER	5 inch overall length, 3.03 inch external diameter, Ball Ring has 1.43 inch inner diameter, 0.62 inch thickness, Press Chamber has 1.88 inch max internal depth, 2.35 inch inner diameter	OW-11518

MEDDICATE INTERNATIONAL




	BALL STRETCHER CRUSHER	The stretcher has an internal dia. of 32mm is 14mm high	OW-11515
	Ball Stretcher Weight with Crotch Spikes	Internal Diameter: 38mm / 1 1/2" Depth: 15mm / 3/5"	OW-11503
	Cock Ring and Ball Stretcher Weight	Dimensions: Cock Ring: 45mm Penis Hole: 35mm Testicle Hole: 32mm	OW-11507
	Donut Ball Stretcher Weight	They are either 20 or 30 mm tall depending on your choice, and are now available in several different inside diameters for a comfortable fit.	OW-11504
	GLANS RING WITH SPIKES	The inside diameter is 25mm without the spikes the spikes can make the ring as small as 5/16" but i really do not think you would want to crank it down that far. The height is 5/8" wide. It also has a place where you can hang a weight from.	OW-11511
	GLANS RING WITH THREADED SCREWS	It is 1 1/8" inches in Diameter and is 5/8 inches wide. It weights 6 ounces.	OW-11509
	HINGED BALL STRETCHER	Sizes : 15mm,20mm,25mm,30mm,40mm Available in Red, Black & multicolours	OW-11500
	MIKE'S SPIKES	The Inside diameter is 44mm before the spikes and if the spike are all tightened it goes down to almost an inch. The weight is 38mm high and its is hinged and closed with a lock. The spikes can be adjusted to fit your pleasure level.	OW-11508
	OVAL BALL STRETCHER	The Oval Ballstretcher is available in three sizes all with a 35mm internal diameter hole: 30mm high (1.25inches), 40mm high (1.50inches), 55mm high (2.50inches),	OW-11513

MEDDICATE INTERNATIONAL

	RENDO BALL STRETCHER	Sizes : 20mm,30mm,40mm	OW-11502
	RIMBA SCROTUM, BREAST AND PENIS CLAMP	Experience the coldness of the metal combined with the clamping of your most sensitive parts with this 8cm (3 inch) wide clamp which can be used on the penis, scrotum or breasts.	OW-11517
	ROUND 2 PIECE BALL STRETCHER WEIGHT	Two piece Round 2-Piece Surgical Steel Ball Stretcher Weights are ball stretchers designed for male scrotum stretching, or for temporary weight or tugging sensation. They are a great way to add all day pleasure, yet no one else will know.	OW-11505
	S/S SPLIT WEIGHT + EYEBOLTS	The weights have removable eye bolts, which you can be cuffed to. The tapped holes can also facilitate the attachment of ball crushers. 20mm high 30mm high 40mm high	OW-11516
	SOLID METAL COCK RING	These mens metal cock rings come in diameters of 40mm, 45mm, 50mm or 55mm and are approximately 8mm thick.	OW-11514
	STRIP WEIGHT	The Small Size is approximately 2-3/8" in length, 3/8" in diameter with 5 Millimeter hole on top, weighing 1.3 ounces each. The Large Size is approximately 3-3/8" in length, 3/8" in diameter with 5 Millimeter hole on top, weighing 1.9 ounces each.	OW-11510
	THE COCK & BALL CRUSHER	The Cock & Ball Crusher is a nut cracker that brings tears to your eyes. A solid aluminum and steel crusher.	OW-11512
	TWO PIECE BALL STRETCHER WEIGHT	External diameter is always 62 mm, however is available in different internal diameters, heights and weights (see Pic).	OW-11506
	ULTIMATE BALL STRETCHER	Our all-in-one ball stretchers are equipped with two rings which are placed around the ball sack (above your balls). The built-in threaded spindle makes it easy to stretch the ball sack up to 70 mm = 2 3/4".	OW-11501

MEDDICATE INTERNATIONAL

Bondage Ice Locks

	CYLINDER WEIGHT	They come in two sizes small which is about 1.0 ounces or large at 1.9 ounces so that you can give your jewelry more weight.	OW-11600
	MASTER SERIES THE ICE WARDEN SELF-BONDAGE TIME LOCK	Measurements: 4.28 inch overall length, Cylinder is 2.13 inches long, 1.63 inches in diameter. Material: Stainless Steel. Product Dimensions: 4.3 x 1.6 x 1.6 inches	OW-11602
	STAINLESS STEEL ICE-LOCK	The time can vary with the 6" size from 40 minutes to about a little more than 2 hours.	OW-11601







Butt Plugs

	" SCREW " METAL ATTRACTIVE EXTRA LARGE BUTT PLUG	4 1/4 inches in length, 1.5 inches at widest point.	OW-11702
	ANAL BUTT PLUG WITH T HANDLE	The length is about 55 mm. The diameter of the stud is about 25 mm. The handle length is about 64 mm.	OW-11719
	ANAL JEWELRY STAINLESS STEEL BUTT PLUG	Probably the most daring accessory one can wear. These decorate the anus and always attract attention when worn in public.	OW-11701
	BEADS BUTT PLUG STAINLESS STEEL	Diameter of large sphere at its widest point is 5.0 cm, diameter of small sphere at its widest point is 3.7 cm, full length is 12.0 cm.	OW-11706
	BEST STEEL PINNACLE LARGE BUTT PLUG	6" inch overall length, 5.75" inch insertable length, 1.56" inch max insertable diameter	OW-11704



MEDDICATE INTERNATIONAL

	BIG ANAL CLOSURE	The maximum diameter is about 95mm products for the 50mm. handle diameter is about 20mm	OW-11709
	DOLPIN STYLE BUTT PLUG	This is dolphin style butt plug and available in 3 sizes (Small , Medium , Large)	OW-11718
	GOLD BUTT PLUG	This gold butt plug is coloured and looks like real gold :) Sizes are same as other simple jewelled plug	OW-11720
	GOLDEN STEEL JEWELLED BUTT PLUG	SIZE Large : 3" 5/8 inches in length 1.5" inches at widest point 0.375" inch stem. SIZE Small : 3" inches in length 1.1" inches at widest point 0.3" inch stem	OW-11703
	HOLE HUGGER BUTT PLUG	Total length of plug is 100mm The Steel Egg is 36mm long and 28mm wide The Steel Disc is 28mm wide and 7mm thick The metal rod between the Steel Disc and Steel Egg is 32mm long and 8mm thick.	OW-11715
	HOLLOW PERMANENT ASS PLUG	Dimensions: Total length 115 mm, insertable length about 80 mm. Thickest part of the butt plug= 50 mm, thinnest point = approximately 27 mm, weight: 925g.	OW-11710
	MASSIVE BUTT PLUG ANAL PLUG WITH CRYSTAL	The total length is about 92 mm. The diameter is about 32 mm. The canter bar has a diameter of about 10 mm	OW-11721
	MASTER SERIES THE COMMANDER STEEL FIST PLUG	This sized-down version of the original Governor fist is more suitable for novice anal explorers Overall Length 4", Insertable Length 3.5", Diameter 1.5"	OW-11705
	METAL ANAL PLUG IN TWISTER SHAPE	The total length is about 62 mm. The diameter is about 25 mm. The center bar has a diameter of about 10 mm.	OW-11723










MEDDICATE INTERNATIONAL

	MODERN BUTT PLUG	The Modern Style Butt Plug is made out of solid Surgical Steel, so not only is it totally safe and easy to clean, it is a massive	OW-11711
	POINT DOUBLE HEADER BUTT PLUG	Made by stainless steel medical grade and this style is designed inside company NMasood Surgicals & BDSM Black Stone on back	OW-11717
	ROUND DOUBLE HEADER BUTT PLUG	Made from Stainless Steel Medical Grade and available all colours of stones to fit back Orange Stone on back	OW-11716
	SILVER BULLET JEWELLED PLUG	This jeweled butt plug is little different from the regular one. Made by Stainless Steel Medical Grade	OW-11713
	STAINLESS STEEL JEWEL PLUGS	SMALL/MEDIUM: 3 inches in length, 1.1 inches at widest point, 0.3 inch stem.	OW-11700
	STIMULATO BUTT PLUG	Total length 100-120mm, 3 cones of 15x30mm, 20x30mm, 25x30mm	OW-11714




Chastity Devices

	2 RINGS STEEL CHASTITY COCK CAGE	The chrome cock rings are 40mm and 45mm in diameter, contains TWO RINGS.	OW-11829
	ASYLUM LOCKING CHASTITY	The total length is 150mm, the total length of the 100mm cage, cage ring has a diameter of 37mm, 37mm, 33mm. Catheter diameter is 8mm, the total length of 130mm, the hole diameter of 3mm. Ring has a diameter of 45mm.	OW-11812










MEDDICATE INTERNATIONAL

	ASYLUM LOCKING CHASTITY CAGE	Length: About 70mm fixed on top of the cage and ring diameter: diameter of about 6 mm teeth sliding ring 41mm: About 30mm ring (Dai Suo): 45mm catheter length: About 90mm hole diameter: About 4mm	OW-11806
	ASYLUM LOCKING CHASTITY CAGE	The diameter is fixed on the cage on ring 33mm, sliding cage can ring diameter is 30mm, clasp is 48mm.	OW-11813
	ASYLUM LOCKING CHASTITY CAGE	Size: Cage: 5 inches in total length, 1.4 inches in diameter; Urethral spout: 2.75 inches in length 0.25 inches in diameter; Ring: 2 inches in diameter	OW-11820
	CHASTITY TUBE WITH COCK TUBING COVER REMOVABLE	The open tube measures 4.25" in length and 5" in circumference (1.5" in width). The closed tube measures 5.25" in length and 5" in circumference (1.5" in width).	OW-11824
	FLEXIBLE LOCKABLE PRINCE'S WAND	Total length: the maximum diameter of about 180mm extension: About 10mm length: About 140mm hole diameter: About 3mm ring diameter: 45mm	OW-11809
	FULLY LOCKED ASYLUM CHASTITY DEVICE	Length: About 6mm size: About 33mm ring: About 50mm stainless steel pipe is screwed to the cage, can remove. (the middle hole diameter 6mm, length 70mm).	OW-11811
	LOCKABLE PRINCE'S WAND	The largest portion of the dilator diameter is 8mm, is 150mm in total length, effective length of 135mm, no hole. Ring has a diameter of 45mm,	OW-11814
	LOCKABLE PRINCE'S WAND PENIS PRISON	Length: the ring diameter of about 60mm on the cage: About 33mm ring (Dai Suo): 45mm catheter length: About 75mm hole diameter: About 3mm a copper padlock	OW-11807
	MALE CHASTITY CAGE WITH URETHRAL STRETCHING PENIS PLUG	Cage length about 10mm soft case 80mm to 100mm are suitable for the cage diameter: About 35mm catheter diameter about 6mm card ring has a diameter of 48mm,	OW-11821

MEDDICATE INTERNATIONAL









	MALE CHASTITY DEVICE	Chastity Cock Cage with Ring & Padlock sex products Have 1.5" 1.75" 2" ring , choose one size suit for you	OW-11800
	RUBY WAVE CHASTITY DEVICE	Ring size: 45mm dilator maximum diameter: 9mm, its length of about 115mm, the effective length of about 97mm. without holes.	OW-11804
	SHORT FENCE PENIS PRISON	The whole device includes: 1, the cage for a total length of about 50mm.2, the cage diameter about 35mm.3, ring diameter of 45mm. 4, a bolt ring and cage does not rotate, because the bolt is square. 5, a hose cage, tube length is about 165mm, hose diameter of 6mm. also presented a 150mm length of hose. 6, a copper padlock. 7,	OW-11803
	SHORT STALLION GUARD	Set includes: 1, cage, length 3.8cm. diameter of about 30mm. There are 5 beads, 4 beads can be mobile, a diameter of 10mm, one of the beads is fixed in the middle part, 8mm in diameter, it can be embedded into the body. 2, ring. Inner diameter of 45mm. 3, a lock pin. 4, a key padlock. 5, there is a catheter cage, which is about 65mm.	OW-11801
	THE ASYLUM CHASTITY DEVICE	Size (Three Layers Cage): Cage: 2 inches in length, 1.3 inches in diameter; Urethral spout: 2 inches in length, 0.25 inches in diameter; Ring: 2 inches in diameter	OW-11805
	THE ASYLUM CHASTITY DEVICE	Size (Three Layers Cage): Cage: 3 inches in length, 1.3 inches in diameter; Urethral spout: 2 inches in length, 0.25 inches in diameter; Ring: 2 inches in diameter	OW-11817
	THE ASYLUM CHASTITY DEVICE	THE ASYLUM CHASTITY DEVICE	OW-11819
	THE BIRD CAGE CHASTITY DEVICE	Inside diameter of the cockring is 45 mm. Inside diameter of the tube is 36 mm. The length of the steelcage is 100 mm.	OW-11825
	THE BRIG MALE CHASTITY DEVICE	The tube has an inside diameter of 1.5". The chrome cock ring is 45mm in diameter	OW-11827

MEDDICATE INTERNATIONAL

	THE CAPTUS STAINLESS STEEL CHASTITY DEVICE	Size: Cage: 4 inches in length, 1.4 inches inner diameter; Base ring: 2 inches inner diameter	OW-11816
	THE FULLY LOCKED ASYLUM CHASTITY DEVICE	Length: About 14.5mm size: About 33mm ring: About 50mm stainless steel pipe is screwed to the cage, can remove. (the middle hole diameter 6mm, length 100mm).	OW-11810
	THE HOUDINI CHASTITY DEVICE	The cage is made of a tube and attached fine steel cables on the top. The open tube measures 4.25" in length and 5" in circumference (1.5" in width).	OW-11823
	THE HOUDINI CHASTITY DEVICE WITH URETHRAL STRETCHING PENIS PLUG	Catheter diameter 6mm, length of about 55mm cage length about 5.8cm, about 3.5cm in diameter clasp inside diameter: 48mm	OW-11815
	THE JAIL HOUSE CHASTITY DEVICE	Inside diameter of the cockring is 45mm. Inside diameter of the tube is 36mm. The length of the steelcage is 100 mm.	OW-11822
	THE LENGTHENED MALE CHASTITY DEVICE	The tube has an inside diameter of 1.5". The chrome cock ring is 45mm in diameter.	OW-11828
	THE PENITENTIARY MALE CHASTITY DEVICE	The tube has an inside diameter of 1.5". The chrome cock ring is 45mm in diameter.	OW-11826
	TRIPLE RING PRINCE'S WAND CHASTITY CAGE	Length: About 80mm cage two ring: About 33mm and 38mm at the bottom of the three ring diameter: 35mm, 45mm, 52mm catheter diameter: 8mm catheter length: About 90mm hole diameter of about 4mm	OW-11808
	TWO LAYERS PENIS PRISON CAGE	The cage is a 45mm cage inner diameter of 34mm inner diameter of about 45mm bolt ring and cage does not rotate, because the bolt is square. Pipe length of about 50mm. catheter diameter of maximum diameter of 6mm tail ball is 8mm, the diameter of the through hole is 3mm. catheter can not be removed from the cage. With key copper padlock	OW-11802

MEDDICATE INTERNATIONAL

Cock Rings

	ANAL PLUG & COCK RING	<p>Balls measures 1.0" in diameter Approx 10.5" total length</p> <p>Cock ring hole 2.00" inside diameter</p>	OW-12017
	CHROME COCK BAND	This is a higher-end cock ring with simple, understated styling	OW-12014
	CHROME TRIPLE RING	The largest of the three rings on this size is 1 3/4" (4.5cm), and that is the ring which is designed to encircle both the cock and balls. The second largest ring is 1 1/2" (4cm), and goes around just the balls. The smaller ring is 1 1/4" (3.2cm), and is just for the cock	OW-12013
	DESIGNER COCK RING	<p>Single Band: Height: 1/2 inch Interior Diameter: 1 1/2 -2 1/4 inches</p> <p>Double Band: Height: 3/4 inch Interior Diameter: 1 1/2-2 1/4 inches</p> <p>Triple Band: Height: 1 inch;</p>	OW-12009
	HEAD RING WITH BALL	<ul style="list-style-type: none"> • Small Inner Diameter: 1in/25mm • Med. Inner Diameter: 1.08in/27.5mm • Large Inner Diameter: 1.2in/31mm <ul style="list-style-type: none"> • Ball Diameter: 10mm • Ring thickness: 3mm 	OW-12012
	HEAD RING WITH PRESSURE BEAD	<ul style="list-style-type: none"> • Inner Diameter: 0.97in/25mm • Bead Thickness: 0.2in/5mm • Bead Diameter: 0.4in/10mm 	OW-12008
	HEXAGONAL GLANS RING	<ul style="list-style-type: none"> • Circumference: 3.3in (8.5cm) • Diameter: 1.05in (2.70cm) 	OW-12007
	HIGH TENSION COCK RING W/ ANAL PLUG	<ul style="list-style-type: none"> • Egg Diameter: 1.1in (2.8cm) • Egg Length: 1.8in (2.5cm) • Plug Base Diameter: 1.1in (2.8cm) • Plug Base Height: .375 (.95cm) • Cable Length: 6in (15.2cm) • Useable Length: 5.1in (12.9cm) • Ring Diameter: 1.5in (3.8cm) • Ring Thickness: .375in (.95cm) 	OW-12016







MEDDICATE INTERNATIONAL

	KALI'S TEETH CHASTITY DEVICE	Diameter: 1 3/4 inch ring (Approximately) Width: 1 inch	OW-12010
	KINKLAB STEEL O-RINGS	<ul style="list-style-type: none"> customize strap-on harnesses to fit a variety of dildo sizes 1 1/2" (38mm), 1 3/4" (45mm), 2" (50mm) diameters Constructed of nickel-plated steel. 	OW-12015
	LE SLAVE DELUXE COCK RING	<p>Small:</p> <ul style="list-style-type: none"> Interior Ring Diameter 1.6in/4.1cm Interior Ring Circumference 5.0in/12.9cm 	OW-12001
	LOOPHOLE COCK RING	Size Small: CURRENTLY UNAVAILABLE. Inner Diameter: 1.7in (4.3cm)	OW-12000
	STEEL EAGLE COCK RING	<p>Small -</p> <ul style="list-style-type: none"> Inner Circumference: 4.7in (11.9cm) Inner Diameter: 1.5in (3.8cm) Edge thickness: 0.4in (1cm) <p>Large -</p> <ul style="list-style-type: none"> Inner Circumference: 6.8in (17.2cm) Inner Diameter: 2.16in (5.5cm) Edge thickness: 0.4in (1cm) 	OW-12003
	TEARDROP COCK RINGS	1.74in (4.5cm) and 2in (5.08cm) diameters	OW-12011
	TRAILER HITCH BIG RIG	<ul style="list-style-type: none"> Perineum Bar length: 4.37 in (11 cm) Cock ring Circumference: 10 in (25.4 cm) Cock ring Diameter: 3 in (7.62 cm) Anal Ball Circumference: 7.5 in (19 cm) Anal Ball Diameter: 2.3 in (5.8 cm) Anal Stem Length: 2 in (5 cm) Anal Ball and Stem Total Length: 4.37 in (11 cm) 	OW-12004
	TRAILER HITCH ECHO COCK RING	<p>Small</p> <ul style="list-style-type: none"> Cockring Circumference: 4.75in (12.1cm) Anal Ball Circumference: 5in (12.7cm) <p>Extra Large</p> <ul style="list-style-type: none"> Cockring Circumference: 6in (15.2cm) Anal Ball Circumference: 6.9in (17.5cm) 	OW-12006
	TRAILER HITCH KINGPIN	<p>Small</p> <ul style="list-style-type: none"> Cock ring Circumference: 4.7in (12cm) Cock ring Diameter: 1.5in (3.8cm) Anal Egg Circumference: 3.7in (9.5cm) Anal Egg Diameter: 1.2in (3cm) 	OW-12005










MEDDICATE INTERNATIONAL

	TRINITY RAINBOW TRIPLE COCK RING	<p>Smallest -</p> <ul style="list-style-type: none"> • Diameter: 1.6 in (4 cm) Circumference: 5 in (12.7 cm) <p>Medium -</p> <ul style="list-style-type: none"> • Diameter: 1.8 in (4.5 cm) Circumference: 5.65 in (14.12 cm) <p>Largest -</p> <ul style="list-style-type: none"> • Diameter: 1.95 in (4.95 cm) Circumference: 6.12 in (15.5 cm) 	OW-12002
Collars For Slaves			
	100 % HANDMADE UNISEX STAINLESS STEEL HEAVY DUTY COLLAR WITH SPIKES	The inside diameter is 14.5 cm, the width is 2.0 cm, the thickness is 0.5 cm.	OW-12110
	8MM STAINLESS STEEL LOCKING CABLE COLLAR	100% Stainless Steel Collar that is very flexible, durable and comfortable. It is 8mm thick.	OW-12107
	8MM STAINLESS STEEL LOCKING SLAVE COLLAR	We suggest you order a size about 1" bigger then your actual neck size for comfort, as these are steel and not adjustable in size.	OW-12103
	ETERNITY GOLD COLLECTION COLLAR	The Eternity Gold Line is the top echelon of NMasood Surgicals & BDSM. Using a high quality plating technique, each collar is layered in 2.5 microns of 18kt Gold, creating a brilliant finish. Perfect for those special occasions.	OW-12104
	ETERNITY RADIANCE COLLAR	Introducing the Limited Edition Eternity Radiance Collar. This colorful collection is specially treated by hand to create an exciting effect that is truly unique to each collar.	OW-12105
	FEMALE STAINLESS STEEL WIRE SLAVE COLLAR	It is real stainless steel, no plating or chrome Height: 9cm Inner diameter: about 11-12 cm	OW-12109
	FLAT COLLAR STAINLESS STEEL	Hand made Stainless steel collar polished Diameter 140 - 150mm	OW-12101

MEDDICATE INTERNATIONAL

	FLAT COLLAR WITH O RING	Hand made slave collar stainless steel polished Diameter 140-150mm	OW-12100
	HANDMADE COMBINATION LOCK NUMBER LOCK SLAVE COLLAR	The inside diameter is 12.0 cm, the rod diameter (thickness) is 1.2 cm.	OW-12108
	LOCKING STAINLESS STEEL TALON COLLAR	Every puppy deserves a collar. The problem with leather collars and even some of the chunkier chain collars is that while the collar is great when playing, it can't be worn in day to day life. This beautiful steel puppy collar is certainly a statement and a wonderful investment for all human pups.	OW-12106
	LOCKING STAINLESS STEEL WIRE ROPE BONDAGE COLLAR	The materials used are 3mm (0,12") thick stainless steel wire rope. These are suitable for long-term wear.	OW-12113
	STAINLESS STEEL ETERNITY COLLAR	Made from high quality stainless steel and individually hand crafted, our Steel line provides a great option for people with allergies to local steel.	OW-12102
	STAINLESS STEEL WIRE ROPE POSTURE COLLAR	The desired width of the collar can be specified by you - the collars on the photos are about 5,5 cm (2.17 inches) wide. The Collar closes from the back with two small allen screws.	OW-12112
	STAINLESS STEEL WIRE ROPE SLAVE COLLAR	This is the original design of the Generation 3.5 collar, and the most popular item in my shop. It is made of two 3mm (0.12 inch) thick stainless steel wire ropes attached to solid aluminum. The collar is about 2cm (0.8 inches) wide (can be made to different dimensions by special order). Made to order according to your sizing and specifications.	OW-12111
Cuffs & Shackles			
	100% HANDMADE COMBINATION LOCK NUMBER LOCK UNISEX RESTRAINTS	The inside diameter of this L Size is 6.0 cm, the rod diameter (thickness) is 1.2 cm.	OW-12200










MEDDICATE INTERNATIONAL

	ANKLE RESTRAINTS OVOID OLIVARY OVAL SHAPED	The maximal inside diameter is 9.0 cm, the width is 2.0 cm.	OW-12216
	ANKLE SHACKLES DUNGEON IRONS OVOID OLIVARY OVAL SHAPED	The maximal inside diameter is 9.0 cm, the width is 4.0 cm. The heavy stainless steel chain measures 38.5 cm long. The chain was made with 9 pieces thick rings, which diameter is 0.8 cm.	OW-12221
	ANKLE SHACKLES DUNGEON IRONS WITH ALLEN SCREW ALLEN KEY	The inside diameter is 8.2 cm, the width is 4.0 cm. The heavy stainless steel chain measures 38.5 cm long. The chain was made with 9 pieces thick rings, which diameter is 0.8 cm.	OW-12226
	ANKLE SHACKLES WITH LOCKS / UNISEX LUXURY DUNGEON IRONS	The maximal inside diameter is 9.2 cm. The heavy stainless steel chain measures 35.5 cm long.	OW-12228
	ANKLE SPREADERS OVOID OLIVARY OVAL SHAPED	The maximal inside diameter is 9.0 cm, the width is 2.0 cm. Full length is 73.0 cm.	OW-12218
	ANKLE SPREADERS WITH ALLEN SCREW ALLEN KEY	The inside diameter is 8.2 cm, the width is 2.0 cm. Full length is 76.0 cm.	OW-12224
	Female Luxury Neck-Wrist-Ankle Restraints	The maximal inside diameter of the wrist-cuffs is 5.6 cm. The maximal inside diameter of the ankle-cuffs is 7.9 cm. The inside diameter of the neck collar is 12.0 cm, the rod diameter (thickness) is 1.1 cm.	OW-12212
	Handcuffs with Lock	Female Luxury Stainless Steel Handcuffs with Lock. The maximal inside diameter is 5.6 cm.	OW-12229
	HANDCUFFS WITH LOCK	Male Luxury Stainless Steel Handcuffs with Lock. The maximal inside diameter is 6.8 cm.	OW-12230





MEDDICATE INTERNATIONAL

	JEWELRY LOCK CUFFS	This is the new version of the jewelry lock cuffs. It is an alternative locking mechanism used in place of the standard pad lock delivered with the cuffs.	OW-12232
	MANACLES DUNGEON IRONS OVOID OLIVARY OVAL SHAPED	The maximal inside diameter is 6.8 cm, the width is 4.0 cm.	OW-12220
	Model-T Neck-Wrist Restraints	The inside diameter of collar is 13.2 cm, the inside diameter of wrist cuffs is 6.0 cm, the width is 2.0 cm. The length of long bar is 20.0 cm.	OW-12211
	Neck-Wrist Restraints with Locks	The maximal inside diameter of the cuffs is 5.6 cm. The inside diameter of the neck collar is 12.0 cm, the rod diameter (thickness) is 1.1 cm.	OW-12215
	Neck-Wrist Spreader Stocks Yoke Restraint Pillory Pillories	The inside diameter of collar is 14.8 cm, the inside diameter of wrist cuffs is 5.8 cm, the width is 2.0 cm. Full length is 86.0 cm	OW-12225
	SPREADERS OVOID OLIVARY OVAL SHAPED	The maximal inside diameter is 6.8 cm, the width is 4.0 cm, the full length is 27.0 cm	OW-12223
	UNISEX 5 PIECES RESTRAINTS SET	Includes the following 5 Pieces: 1. One piece collar, the inside diameter is 14.5 cm, the width is 2.5 cm. 2. Two pieces wrist restraints, the inside diameter is 6.0 cm, the width is 3.0 cm. 3. Two pieces ankle restraints, the inside diameter is 8.2 cm, the width is 3.0 cm.	OW-12207
	UNISEX ELLIPSE STAINLESS STEEL	The maximal inside diameter is 9.0 cm, the width is 3.0 cm.	OW-12202
	UNISEX ELLIPSE STAINLESS STEEL	Unisex Ellipse Stainless Steel Cross Cuffs Ovoid Olivary Oval Shaped. The maximal inside diameter is 9.5 cm, the width is 0.8 cm	OW-12210





MEDDICATE INTERNATIONAL

	UNISEX ELLIPSE STAINLESS STEEL HEAVY DUTY WRIST RESTRAINTS OVAL SHAPED WITH BRASS LOCK JOINTS	The maximal inside diameter is 6.8 cm, the width is 3.0 cm.	OW-12203
	UNISEX IRISH 8 HANDCUFFS STAINLESS STEEL GOURD WRIST RESTRAINTS WITH ALLEN SCREW ALLEN KEY	Unisex Irish 8 Handcuffs Stainless Steel Gourd wrist restraints with Allen Screw Allen Key. The maximal inside diameter is 6.8 cm.	OW-12204
	UNISEX STAINLESS STEEL HEAVY DUTY	The inside diameter is 8.2 cm, the width is 3.0 cm.	OW-12205
	UNISEX STAINLESS STEEL HEAVY DUTY	The inside diameter is 6.0 cm, the width is 2.5 cm.	OW-12206
	UNISEX STAINLESS STEEL IRISH 8 HANDCUFFS WITH BRASS LOCK	Unisex Stainless Steel Irish 8 Handcuffs with Brass Lock. The maximal inside diameter is 6.8 cm.	OW-12201
	UNISEX STEEL RESTRAINTS (S)	The inside diameter of this S Size is 5.5 cm, the width is 2.0 cm.	OW-12208
	UNISEX STEEL RESTRAINTS (L SIZE)	The inside diameter of this L Size is 7.0 cm, the width is 2.0 cm.	OW-12209
	Wrist Manacles Dungeon Irons with Allen Key	The inside diameter is 6.0 cm, the width is 4.0 cm.	OW-12222
	Wrist Manacles Dungeon Irons with Allen Screw Allen Key	The inside diameter is 6.0 cm, the width is 4.0 cm.	OW-12227

MEDDICATE INTERNATIONAL

	Wrist Restraints Ovoid Olivary Oval Shaped	The maximal inside diameter is 6.8 cm, the width is 2.0 cm.	OW-12217
	WRIST SPREADERS OVOID OLIVARY OVAL SHAPED	The maximal inside diameter is 5.6 cm, the width is 4.0 cm, the full length is 26.5 cm.	OW-12219
	WRIST-ANKLE RESTRAINTS WITH LOCKS	The maximal inside diameter of the wrist-cuffs is 6.8 cm. The maximal inside diameter of the ankle-cuffs is 9.2 cm.	OW-12213
	WRIST-ANKLE RESTRAINTS WITH LOCKS	The maximal inside diameter of the wrist-cuffs is 5.6 cm. The maximal inside diameter of the ankle-cuffs is 7.9 cm.	OW-12214





Dilator Urethral Sounds

	ADVANCED PRATT URETHRAL SOUNDING KIT	Insertable Length : 15.5cm (6.1 inches) Length : 29.85cm (11.75 inches) Overall Diameter : 2mm, 2.5mm, 3mm, 3.5mm, 4mm, 4.5mm, 5mm, 5.5mm, 6mm Quantity : 8	OW-12309
	DELUXE COCK STUFFING SOUNDS SET	Insertable Length : 14cm (5.5 inches) Length : 17.5cm (7 inches) Overall Diameter : 4mm, 4.5mm, 5mm, 5.5mm, 6mm, 6.5mm, 7mm, 8mm, 9mm, 10mm, 11mm, 12mm, 13mm Waterproof : Yes Contents : 13 Urethral sounds, storage case and removal tool Does Not Include : Latex, phthalates	OW-12313
	DELUXE FLAT ENDED URETHRAL SOUNDS KIT	Insertable Length : 12.7cm (5 inches) Length : 18.5cm (7.28 inches) Overall Diameter : 4mm, 5mm, 6mm, 7mm, 8mm, 9mm, 10mm, 11mm, 12.5mm, 13mm, 14mm, 15mm, 16mm, 17mm Size : Ranging from 4 mm to 17 mm Contents : 14 Sounds, Leather Presentation Case Quantity : 14 Sounds	OW-12307
	DILATOR SOUND	Length: 19cm (7.4 inches) Insertable Length: 13cm (5 inches)	OW-12300





MEDDICATE INTERNATIONAL

	DITTLE URETHRAL SOUNDS KIT	Insertable Length : 23cm (9 inches) Length : 29cm (11.5 inches) Overall Diameter : 2.5mm, 3mm, 3.5mm, 4mm, 5mm, 6mm, 6.5mm, 7mm Quantity : 8 Washing Instructions : Boil to sterilise, autoclave, wipe with alcohol	OW-12308
	DOMINATOR SOUNDS: BEAST	Insertable Length : 13.5cm (5.32 inches) Length : 17.8cm (7 inches) Overall Diameter : 9mm Washing Instructions : Autoclave, or boil to sterilise and wipe with alcohol to clean. Only use sterile lubricant	OW-12311
	DOMINATOR SOUNDS: DEVIL	Insertable Length : 15.5cm (6.1 inches) Length : #1 measures: 17.8cm (7 inches) #2 measures 19.7cm Overall Diameter : #1 Maximum diameter: 10.5mm, Minimum 4mm #2 Maximum 15mm Washing Instructions : Autoclave, or boil to sterilise and wipe with alcohol to clean. Only use sterile lubricant Material : MEDICAL GRADE STAINLESS STEEL	OW-12316
	DOMINATOR SOUNDS: DRILL	Insertable Length : 13.5cm (5.32 inches) Length : 17.8cm (7 inches) Overall Diameter : Drill #1: 6mm - 9mm, Drill #2: 5mm - 8mm Washing Instructions : Autoclave, or boil to sterilise and wipe with alcohol to clean. Only use sterile lubricant	OW-12312
	GUYON URETHRAL SOUNDS SET	Insertable Length : 25cm (9.84 inches) Length : 31.5cm (12.4 inches) Overall Diameter : Smallest: 2.8mm, Largest: 11mm Weight : 2.196kg Washing Instructions : Autoclave, or boil to sterilise and wipe with alcohol to clean. Only use sterile lubricant	OW-12306
	HANKS DILATOR SET	Insertable Length : 19cm (7.48 inches) Length : 27cm (10.5 inches) Overall Diameter : 4.5mm, 4.7mm, 5.5mm, 5.7mm, 6.5mm, 6.7mm, 7.5mm, 7.7mm, 8.5mm, 8.7mm, 9.2mm, 9.5mm Product Weight : 0.614 kg Quantity : 6 Washing Instructions : Autoclave, or boil to sterilise and	OW-12314
	HEGAR 8 INCH URETHRAL SOUNDS	Insertable Length : 10cm on each side Length : 20.3cm (8 inches) Overall Diameter : 3.5mm, 4mm, 5mm, 6mm, 7mm, 8mm, 9mm, 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 20cm	OW-12304
	PRATT 11 INCH URETHRAL SOUNDING KIT	Insertable Length : 14.5cm on each side Length : 29cm (11.5 inches) Overall Diameter : 4.5mm, 5mm, 5.5mm, 6mm, 7mm, 7.5mm, 8.5mm, 9mm, 9.5mm, 10mm, 11mm, 12mm, 11.5mm, 12.5mm, 13.5mm, 14mm Quantity : 8 pcs	OW-12303
	RIBBED DIPSTICK URETHRAL SOUND	Length : 240mm Overall Diameter : 6mm, 8mm, 10mm, 12mm Material : Pure Medical Grade Stainless Steel 100%	OW-12302










MEDDICATE INTERNATIONAL

	ROSEBUD URETHRAL SOUNDS KIT	Insertable Length : 24.5cm (9.65 inches) Length : 30cm (11.8 inches) Overall Diameter : 2mm, 3mm, 4mm, 5mm, 6mm, 7mm, 8mm, 9mm, 10mm, 11mm, 12mm, 13mm Quantity : 12 Sounds	OW-12301
	SINGLE ROSEBUD URETHRAL SOUND	Choose from 2mm, 4mm, 6mm and 8mm. Length : 30cm (11.8 inches) Material : Medical Grade Stainless Steel	OW-12305
	TUNING FORK SET	Length : 11cm, 12cm, 16cm, 17cm, 20cm Overall Diameter : 2.3cm, 2.5cm, 4cm Contents : 5 Stainless Steel tuning forks Quantity : 5	OW-12310
	VAN BUREN URETHRAL SOUNDS SET	Insertable Length : 23cm (9 inches) Length : 26.7cm (10.5 inches) Overall Diameter : 2.5mm, 3mm, 3.2mm, 4.5mm, 5.2mm, 6mm, 6.4mm, 7.4mm	OW-12315





Medical Instruments

	5 PIECE ALUMINUM TUNING FORK SET	A new set of sensations with the 5pc Aluminum Tuning Fork	OW-12409
	ANAL HOLE SPREADER	The Anal Hole Spreader opens up to 5.5" wide and each blade is .25" in diameter and 3" long. Take a sexy look inside with this spreader.	OW-12412
	BLACK POWDER COATED GRAVES SPECULUM	Measurements Available in sizes Medium and Large. MEDIUM: Insertable length 11.5CM; Width 35MM; Fully Open 83MM. LARGE: Insertable length 13.5CM; Width 36MM; Fully Open 90MM.	OW-12406
	BLUE POWDER COATED GRAVES SPECULUM	MEDIUM: Insertable length 11.5CM; Width 35MM; Fully Open 83MM. LARGE: Insertable length 13.5CM; Width 36MM; Fully Open 90MM.	OW-12403


MEDDICATE INTERNATIONAL

	COLLINS SPECULUM	The sizing for this speculum is 4 inches insertable length, the blades spread to a width of 2 3/4 inches.	OW-12410
	ENEMA NOZZLE TIPS	The shower system comes with a 5" aluminum nozzle tip. However, if you want much deeper play then you can pick up one of these extended enema nozzle tips. These tips measure 6" and we know that in sexual play inches can make a difference.	OW-12420
	Enema Syringe	This classic syringe is a collectors item. Made of high quality polished metal (chrome-plated brass).	OW-12419
	Huge Equine Speculum	Measurements: Length from end to end of the entire instrument is 17 inches with a maximum spread of near 4 inches. The length from end to end of the speculum blades is 13-3/4 inches.	OW-12414
	Jenning MouthGag	Jenning Mouth Gag is famous in BDSM. This is common product using around all over the world and NMasood Surgicals manufacturing this product since 2005	OW-12400
	MATHIEU 3-PRONG RECTAL SPECULUM	The probe section is about 3.5 inches long, and is 3/4 inches in diameter when closed. When opened the prongs spread to a maximum of 2.5 inches apart.	OW-12405
	MILLER SPECULUM	This is a highly accurate gynecological device and the most adjustable speculum we offer. The right adjustment wheel spreads the blades up to 3.5 inches wide. The left adjustment wheel adjusts the angle of the blades. The result is an impressively accurate speculum. Made of high quality polished steel. The blade of the speculum is 4 inches long. Overall length is 7.5 inches.	OW-12411
	PINK POWDER COATED GRAVES SPECULUM	MEDIUM: Insertable length 11.5CM; Width 35MM; Fully Open 83MM. LARGE: Insertable length 13.5CM; Width 36MM; Fully Open 90MM.	OW-12402
	RED POWDER COATED GRAVES SPECULUM	MEDIUM: Insertable length 11.5CM; Width 35MM; Fully Open 83MM. LARGE: Insertable length 13.5CM; Width 36MM; Fully Open 90MM.	OW-12401

MEDDICATE INTERNATIONAL






	SHOWER ENEMA NOZZLE	hower Enema Nozzle Specs and Benefits: Size: 5.38 inch overall length, 4.5 inch insertable length, 1.51 inch max insertable diameter, 0.875 inch diameter threaded connection	OW-12416
	SIMS ANAL SCOPE	This is used to spread tissue for an anal examination. The probe section is about 3.25 inches long, and is 3/4 inch in diameter when closed. When opened the prongs spread to a maximum of 1.7 inches apart.	OW-12413
	STAINLESS STEEL ENEMA PLUG	This attachment is 6 inches (15cm) long and about 1.5 inches (4cm) in diameter, made from anodized aluminum, with the water hole on the tip. This item is made to fit on most enema bags.	OW-12418
	STAINLESS STEEL GRAVES SPECULUM	Medium- 4 inches in length and 1.25 inches wide Large- 4.75 inches in length and 1.31 inches wide.	OW-12404
	STAINLESS STEEL JENNINGS MOUTH GAG	Size: 8 inches in total length, gag measures 5.75 inches in width, opens to 2.5 inches Material: Stainless steel, PVC	OW-12408
	Stop n Flow Enema Plug	Size: 4.63 inch overall length (with stopper), 2.75 inch insertable length (with stopper), 1.62 inch max insertable diameter Material: Stainless Steel	OW-12417
	The Grease Gun	Size: 8.5" in length and 4" in circumference Material: Steel	OW-12415

Metal Ass Lock




	ULTIMATE ASSLOCK	Size: Measures approx. 5.63 inch overall length, 2.25 inch long expandable bulb, Collapsed Bulb has 1.8 inch max insertable diameter (5.5" in circumference), Expanded Bulb has 2.58 inch max insertable diameter (8" in circumference)	OW-12500
---	------------------	---	----------

Metal Dildos






MEDDICATE INTERNATIONAL

	MR. SMOOTH	Crafted from high-quality smooth 316 grade stainless steel, Mr. Smooth makes a luxurious addition to any fine toy collection. Hand-polished to a mirror shine, the new line of NMASOOD steel dildos manufactured by own, are a response to many requests from customers for new styles of dildos made of this luxurious metal.	OW-12604
	NJOY FUN WAND	The mission of NMasood is to provide you with "pure/fun": to create deluxe products that enhance your enjoyment of your body and your sexuality. TheFun Wand embodies this ideal with its complex and versatile design.	OW-12603
	PURE WAND	If you're partial to temperature play, place the Pure Wand in a warm bowl of water or the fridge for exquisite sensations.	OW-12602
	STAINLESS STEEL HEAVY DILDO 11"	Curved and long, dual-ended and ready to thrust - this solid steel dildo is perfect for intense orgasmic pleasure. Great for solo entertainment or kinky action between couples. Made from 100% medical grade stainless steel that's heavy-duty and extremely safe. Won't rust, easy to clean, and long-lasting	OW-12600
	TEASER DILDO	Hand-polished to a mirror shine and crafted from high-quality 316 grade stainless steel, the Teasermakes a luxurious addition to any fine toy collection. From the new line of NMasood Surgicals & BDSM products , these stainless steel dildos are a response to many requests from customers for new styles of dildos made of this premium material.	OW-12601




Nipple Toys / Clamps

	ADJUSTABLE C-CLAMPS	This pair of nipple clamps is connected by 12" of chain. The 1" long thumbscrews are fine-threaded for precise adjustment of pressure, and will not fall out even when the clamps are fully loosened. The "grabbing" surface is approx 3/4" long by 1/4" wide.	OW-12805
	BREAST VISE CLAMP	<p>Dimensions</p> <ul style="list-style-type: none"> • Bar length: 18in / 45.5cm • Screw length: 6.1in / 15.5cm 	OW-12807
	NIPPLE PRESS	<p>Product Details:</p> <ul style="list-style-type: none"> • Height (closed): 1.6in / 4.8cm • Width: 1.5in / 4cm 	OW-12802

MEDDICATE INTERNATIONAL

	NIPPLE PRESS AND COCK RING SET	<p>Product Details:</p> <ul style="list-style-type: none"> Length (from clamp to ring): 18 inches/45.7cm Ring Diameter: 2 inches/5cm 	OW-12800
	NIPPLE PRESS W/ CHAIN	<p>Product Details:</p> <ul style="list-style-type: none"> Length: 12 inches/30.5cm Clamp Width (open): 1 inch/2.5cm 	OW-12801
	THE TITTY TWISTER	<ul style="list-style-type: none"> Length: 2.5 in (6.4cm) Width (at base): 1.2 in (3cm) Width (at tip): .2 in (.5cm) <p>Barbell:</p> <ul style="list-style-type: none"> Length: 2in (5cm) Width: 12g. (2mm) 	OW-12806
	TIT TUGGERS	<p>The stem can be pulled through and tightened to pull the nipple out up to a total of 1½”.</p> <p>The base ring that circles the nipple has a total circumference of 6.5” and a 2” diameter. The Tit Tugger frame is 5” long and weighs 0.32 pounds.</p>	OW-12804
	TURNING POINT NIPPLE CLAMPS	<ul style="list-style-type: none"> Available in Scepter (2 ball) and Barbell (4 ball) styles Max size of opening (Scepter): 0.7in/19mm by 0.9in/22mm Max size of opening (Barbell): 0.7in/19mm by 0.6in/15mm 	OW-12803

Penis Plugs

	12 BEADS HOLE THROUGH	Length: it has 12 beads about 125mm: one at the top, about 10mm in diameter and 11 beads in the tube. Bead diameter is approximately: 9mm with a through hole, hole diameter of about 3mm	OW-12753
	4.CN PENIS PLUG RIBBED WITH GLANS RING AND BALL 110MM X 9MM	<p>Material: Medical steel</p> <p>Length: 110mm</p> <p>Thickness: 9mm</p> <p>With lines for additional stimulation</p> <p>Diameter ring: 30mm</p>	OW-12708
	4CHAN PENIS PLUG RIBBED WITH GLANS RING AND BALL 80MM X 8MM	<p>If you select these plugs as slave, master or mistress you will enjoy it. Use these cockplugs in your fetish-session and enjoy the stimulation. Features</p> <ul style="list-style-type: none"> Material: Medical steel Length: 80mm Thickness: 8mm 7 lines for additional stimulation Diameter ring: 30mm 	OW-12709

MEDDICATE INTERNATIONAL

	62.5 mm Length Sadistic Penis Head Wand	the glans ring has an internal diameter of 32 mm. Prince's Wand, anatomically shaped: diameter 7 mm, overall length approximately 62.5 mm, approximately 56 mm of which can be inserted. Long-term use is possible. Weight approximately 115 grams. Includes Allen key.	OW-12760
	7 Beads Hole Through	Length: About 95mm it has 7 beads: the entrance to the big bead diameter is about 6 12mm pipe beads, beads diameter of about 10mm with a through hole, hole diameter about 4mm	OW-12751
	96 mm Length Sadistic Penis Head Wand	the glans ring has an internal diameter of 33 mm. Prince's Wand, anatomically shaped: diameter 9 mm, overall length approximately 96 mm, approximately 80 mm of which can be inserted. Long-term use is possible. Weight approximately 105 grams. Includes Allen key.	OW-12759
	ANATOMICALLY FORMED PRINCE'S WAND	It won't slip out, because the ring holds it in place at the glans. The wand is carefully sculpted with a subtle curve. It measures 4.75" in length and 1/4" in diameter. Supplied with 2 different sized removable glans rings, measuring 1" and 1 1/4" inside diameter. Through hole diameter: 4mm	OW-12786
	BAD WOLF SOUND	The total length is 120mm, diameter is 12mm, the minimum is 5mm, no hole.	OW-12780
	BEADS COCK JEWEL	Length: 120mm no through hole. Head diameter: 8mm tail diameter: 10mm stone diameter: 8mm bead diameter; 8mm and 10mm ring: 25mm and 30mm	OW-12791
	BEADS COCK JEWEL HEAD RING W/ PENIS PLUG	Total length: 118mm no hole head diameter: 6mm tail diameter: 8mm jewelry diameter: 6mm bead diameter: diameter of 6mm and 8mm: 30mm and 25mm	OW-12795
	CITISHOP WAVED COCK WAND 105MM	Wave Shaped Body: External Diameter: 9mm - 12.5mm (1/3 inch - 1/2 inch) Total Length: 105mm (4 inches) Insertable Length: 90mm (3-1/2 inch) Diameter of End Disc: 16mm (2/3 inch)	OW-12714
	COCKEDINSTEEL PENIS PLUG PEAR DROP	Diameter 5mm (1/5 inch) Length: 85mm (3-1/3 inch) with a 10mm long pear-shaped tip that ranges from 2-5mm wide. Stopper Disc Diameter: 16mm (2/3 inch) Material: Medical Grade Stainless Steel	OW-12712










MEDDICATE INTERNATIONAL

	COLDSTEEL COCK PLUG WITH GLANS RING 25MM FRENULUM BALL	insertion. Features Solid Penis Plug Length: 42 mm Width: 8mm Glans Ring diameter: 25 mm	OW-12723
	COMEASYOURE PENIS PLUG RING	Features Material: Medical Grade Stainless Steel Length: Screw length: 35mm, Overall length: 50mm Width: 10mm	OW-12803
	COMEASYOURE PENIS PLUG RING RIBBED CUM THRU 10MM	Features Material: Medical Grade Stainless Steel Length: Screw length: 35mm, Overall length: 50mm Width: 10mm	OW-12726
	CUM-THRU PENIS PLUG	The total length of the inserted length: 76mm: 60mm: 6mm minimum diameter maximum diameter: 8mm diameter: 4mm	OW-12801
	CUM-THRU PENIS PLUG	The total length of the inserted length: 76mm: 60mm: 6mm minimum diameter maximum diameter: 8mm diameter: 4mm	OW-12800
	CURVE WAVE HOLE THROUGH URETHRAL ANCHOR	A hole all the way through. The total length is 145mm, the effective length is 130mm, diameter is 12mm, entrance diameter 6mm, the diameter of the ball is 15mm. hole diameter is 4mm	OW-12769
	CURVE WAVE URETHRAL ANCHOR	No hole . The total length is 145mm, the effective length is 130mm, diameter is 12mm, entrance diameter 6mm, the diameter of the ball is 15mm.	OW-12772
	DEMENTEDVISIONS TOPPER PENIS PLUG WITH 22MM BALL	Total Overall Length: 85mm Insertable Length: 70mm Minimum External Diameter: 6mm (1/4 inch) Increasing to a Maximum of: 11.5mm (1/2 inch) Then Decreasing to: 5.5mm (1/4 inch) just before the ball end. Ball Size 22mm	OW-12711
	DICK.NET PENIS WAND THREE STAGE	Features Intertable Length: 75mm Material: Medical Grade Stainless Steel Length: 80mm Width: 5mm - 8mm	OW-12816










MEDDICATE INTERNATIONAL

	DOUBLE BALL HEAD RING WITH SPERM STOPPER	Insertion length: 35mm ball diameter: the middle part of 10mm pole can move up and down ring diameter: 30mm and 25mm	OW-12789
	DOUBLE PRINCE ALBERT CUM THRU WAND	Size:100mm Long x 8mm head ball x 10mm small ball : 5mm	OW-12810
	DOUBLE RING HEAD RING WITH SPERM STOPPER	The ball diameter: About 10mm center shaft can slide up and down ring diameter: 2 x25mm+2 X30MM	OW-12765
	EMPFLIX JEWELLED PRINCES COCK PLUG BLUE	Jewelled to add some Dazzle in your Razzle! Color; Blue 6.5CM Insertable	OW-12705
	EMPFLIX PENIS PLUG JEWELLED	Jewelled to add some Dazzle in your Razzle! DIAMOND COLOR 6.5CM Insertable	OW-12813
	EMPFLIX PRINCES COCK PLUG JEWELLED GREEN	Jewelled to add some Dazzle in your Razzle! Color; Green 6.5CM Insertable	OW-12702
	ESINEM PENIS PLUG TOPPER CUM THRU BALL 50MM	It starts at 5mm wide going up to 11mm and then decreased to 5mm again just before the topper ball. The insertable length is 50mm (2 inches), once inserted just the 23mm diameter topper ball can be seen. Insertable Length: 50mm (2 inches) External Diameter: 5mm - 11mm Topper Ball Diameter: 23mm	OW-12703
	ESMAEOIVE CUM STOPPER PENIS PLUG WITH RING	Stainless Steel Total length: 50mm Diameter: 4mm Shaft - 10mm at the widest point	OW-12720
	EXPERIENCEPROJECT VIBRATING PENIS PLUG 8MM	Features Material: Medical Grade Stainless Steel Length: 5cm (2.96 inches) Insertable Width: 5mm-8mm Insertable Length: 75mm	OW-12725

MEDDICATE INTERNATIONAL

	FREAKOUTNATION PENIS PLUG	Glans Ring: 30mm/35mm	OW-12814
	GATES OF HELL PENIS PLUG	<ul style="list-style-type: none"> • Wand Length: 3.2in/8cm • Wand Diameter: 0.3in/0.8cm • Ring Diameters: 1.1in/2.8cm ; 1.2in/3cm Made of high quality stainless steel	OW-12794
	GLANS RING WITH SPERM STOPPER FRENULUM STIMULATOR 3.25CM	Ring Diameter: 3.25cm Ring Circumference: 10.21cm	OW-12728
	HEAD RING W/ CUM-THRU RUBY WAVE URETHRAL ANCHOR	The total length of the inserted length: 135mm: 117mm: 8mm maximum diameter of cone entrance minimum diameter: 6mm diameter: 4mm ring diameter: 30mm and 25mm ball diameter: 15mm weight: 70g	OW-12793
	HEAD RING W/ PENIS PLUG	<ul style="list-style-type: none"> • Head Ring Diameter: 1.2in/30mm • Plug Diameter: 8mm at widest point • Insertable Length: 1.65in/42mm 	OW-12796
	HHJCC PENIS PLUG WITH GLANS RING	Ribbed Dream Penis Plug with Glans Ring Glans Ring; 28mm Insertable length; 30mm	OW-12807
	HOLE THROUGH COCK STUFFING	For men looking for that special kick: a screw-in penis plug that stays securely in place thanks to its one-of-a-kind construction. With its 3 mm (soft round) round screw thread, a maximum diameter of 9.5 mm (1/3"), and a length of 42 mm. The cock screw has a through hole and end ring for attaching ropes, chains or weights. The diameter of the through hole is 3mm.	OW-12773
	HOLE THROUGH FLEXIBLE	Length: About 150mm diameter: 10mm ball diameter of about: 10mm diameter; about 3mm ring diameter: About 25mm and 30mm	OW-12754
	HOLE THROUGH GROOVES CBT PLUG	Length: the maximum diameter of 64mm: 10mm effective length: 49mm entrance diameter of about: 7mm pipe hole diameter of about 4mm Diameter approximately: 15mm	OW-12757



MEDDICATE INTERNATIONAL

	HOLE THROUGH GROOVES HEAD RING CBT PLUG	Through hole diameter: 4mm length: maximum diameter 72mm pipe: minimum diameter 10mm pipe: 6mm size: 25mm and 30mm	OW-12758
	HQXNXXX RIBBED METAL	Ring, 90mmCyclone Overall Length; 90mm Insertable Length; 85mm Insertable Width; 5-10mm	OW-12809
	JEWELLED SAPHIRE TRIPLE RIDER PENIS PLUG	Stainless Steel, a beautifully jeweled penis plug based on the Triple Rider with a Jewel embedded in the base Approx 75mm long (65mm insertion length) and 3 undulating humps measuring 9mm diameter.	OW-12729
	LOVEPANKY CUM THROUGH	Over All Length 50mm Insertable Lenth 40mm Ball size 10mm Thru hole; 3mm With three ribs in the plug the widest being 9mm and the smallest being 5mm in size this is definitely a great stimulating tool	OW-12808
	Masturbator Penis Plug	Specs: Manufacturer using CNC techniques. Medical- grade stainless steel. Hole all the way through. Approx. 2 mm (2.5") long. Wave-shaped with three waves increasing in diameter from 5 mm (1/5 inch) to 8 mm (1/3 inch)	OW-12790
	MOOONYSTOYS SHORT CUM THROUGH PENIS PLUG 42.5MM	Overall Length: 42.5mm Insertable Length: 30mm Maximum Diameter: 11.9mm Minimum Diameter: 8mm Diameter of central internal hole: 5mm	OW-12717
	Newart Beginners Cock Plug Green Crystal	Also available in Diamond, Ruby, Blue Maximum insertion Length; 30mm Maximum insertion Width; 5mm	OW-12806
	NEWART CRYSTAL BEGINNERS COCK PLUG DIAMOND	Also available in Blue, Green, and Ruby. Maximum insertion Length; 30mm Maximum insertion Width; 5mm	OW-12701
	NEWART CRYSTAL BEGINNERS PENIS PLUG RUBY	This smooth solid penis plug is perfect weatheryou're a beginner wearing a penis plug or a connoisseur. Also available in Diamond, Blue, and Green. Maximum Insertable Length; 30mm Maximum insertable Width; 5mm	OW-12811

MEDDICATE INTERNATIONAL

	NO CONTROL HOLE THROUGH	Total length: About 200mm, a drainage switch, ball diameter 10mm pipe diameter of about 8mm (stainless steel) hole diameter of about 3mm (stainless steel parts) of silicone tube with diameter of 6mm and the diameter of the ring: About 25mm and 30mm	OW-12762
	NO CONTROL LONG HOLE THROUGH	The total length of 180mm., diameter 10mm, diameter 3mm, diameter of 25mm and 30mm rings.	OW-12767
	NO CONTROL OVERLENGTH HOLE THROUGH	The total length of the largest diameter of 230mm. stainless steel pipe is 9mm, the diameter of the through hole is 3mm. tube diameter is 6mm, the diameter of the circle of 25mm and 30mm.	OW-12768
	OXBALLS OLIVE CUM THRU PENIS PLUG WITH RING 8MM WIDE	Size: 55mm insertable length / 67mm total length Diameter; 8mm	OW-12719
	POPPEREXPRES CUM THRU UNDULATING PENIS PLUG 8MM WIDE	Features Size: 70mm insertable length 80mm total length Diameter: 6mm - 8mm	OW-12722
	PORNHUB PENIS PLUG CUM THRU WITH RING 50MM	Features 8mm x insertable 3.6cm long Overall length 51 mm	OW-12715
	PRINCE ALBERT COCK PLUG	Made of high quality surgical steel, this is a solid penis plug that can be inserted and secured by the double 30mm and 35 mm glans rings. The glans rings are for safety and give a hot new look to this wand. Maximum Insertable Length; 100mm Maximum Insertable Width; 9mm Rings 30mm and 35mm	OW-12805
	PRINCE ALBERT PENIS WAND WITH GLANS RING	Maximum Insertable Length; 105mm Maximum Insertable Width; 8mm Glans Ring; 35mm	OW-12700
	PRINCE ALBERT RIBBED CUM THRU WAND	Maximum Length; 105 Maximum Width; 7mm	OW-12730








MEDDICATE INTERNATIONAL

	PRINCE ALBERT'S LONG BEADS WAND	Consisting of 2 parts. The total length of 147mm beads, beads with diameter of 10mm and 8mm. entrance diameter portion of the total length of 110mm 8mm. catheter, catheter diameter 10mm, entrance diameter 10mm, hole diameter is 4mm.	OW-12776
	PRINCEALBERT CUM THRU PENIS WAND	Features Material: Stainless steel Length: 75mm Width: 8mm	OW-12727
	REALJOCK GATES OF HELL PENIS SOUNDING PLUG	The basis of this product is a 8 cm (3 1/5") long, rod with a conical point and a diameter of 8 mm (1/3"). diameters of 30 mm and 35 mm.	OW-12716
	RIBBED ROD PENIS SOUND	Total length: 140mm the front section head diameter: 6mm, no holes, length: 20mm second part diameter: 7.5mm, length: 25mm third part diameter: 9mm, length: 25mm fourth part diameter: 10.5mm, length: 25mm fifth part diameter: 12mm, length: 45mm	OW-12799
	ROBBOTUBE PENIS PLUG SMOOTH WITH GLANS RING, O-RING AND BALL 80MM	Length: 80mm Thickness: 8mm Ring; 25mm	OW-12710
	RUFFLED SHEETS PENIS PLUG SOLID WITH GLANS RING 25MM	Size: 75mm x 8mm 2 X 25mm diameter	OW-12721
	SEXDEVS PENIS PLUG SMOOTH CUM THRU WITH GLANS RING AND BALL 80MM	Length: 80mm Thickness: 8mm Penis plug with hole Diameter ring: 28mm	OW-12706
	SPINDLY URETHRAL PLEASURE STICK WITH GROOVES	Full length of about 150mm in diameter is about 10mm tail ball diameter is about 7mm	OW-12750
	STAINLESS STEEL BEADED URETHRAL INSERT	The total length of 115mm, there are 12 beads, beads head diameter 12mm, diameter of 8mm, no hole.	OW-12778

MEDDICATE INTERNATIONAL

	STEELPLEASURES PENIS PLUG OLIVE CUM THRU WITH RING	Length: 5cm, insertable 4.5cm Width: 10mm	OW-12815
	THE 45MM LENGTH VEXING CUM- THRU	Length: About 45mm maximum diameter parts: About 8mm, about 5mm in diameter through hole entrance diameter: 4mm with four grooves. The diameter of the ring is about 30mm and 25mm	OW-12763
	THE 45MM LENGTH VEXING CUM- THRU PENIS PLUG	With a through hole length: About 45mm maximum diameter parts: About 8mm, about 5mm in diameter through hole entrance diameter: About 3mm ring diameter of about 30mm and 25mm	OW-12764
	THE GATES OF HELL	Diameter: 8mm insert length: 25mm and 30mm: 9cm ring hole free	OW-12797
	THE GATES OF HELL HOLE THROUGH	Length: About 150mm diameter of about: 10mm ball diameter about: 10mm hole diameter about: 3mm ring diameter: About 25mm and 30mm	OW-12755
	THE LIBERTINE FAUCET PLUG	Size: 3.25 inch overall length, 2.50 inch insertable length, 2.35 inch max insertable diameter, 3.15 inch diameter	OW-12787
	THE LONGEST PRINCE'S WAND	The total length of about 280mm length: the first part (tail): About 12mm, about 8mm in diameter, ball diameter of about 10mm second part length: About 34mm, about 9mm in diameter, with 9 grooves. The third part: length: about 147mm, about 8mm in diameter and fourth part length (front): About 67mm, a diameter of about 5.4mm to 9mm, there are 5 cones.	OW-12766
	THE OPENER	Specs: Precision-manufactured cone-shaped penis plug. Length 45 mm, diameter 5 mm to 8 mm and an insertable length of approx. 30 mm.	OW-12775
	THE RIBBED OPENER	Specs: Precision-manufactured cone-shaped penis plug. Length 45 mm, diameter 5 mm to 8 mm and an insertable length of approx. 30 mm	OW-12774






MEDDICATE INTERNATIONAL

	THE TWO SECTION HOLE THROUGH	Length: About 200mm diameter of about 6-8mm diameter: 3mm: About ring diameter: About 25mm and 30mm	OW-12756
	THE VEXING HOLE THROUGH	The diameter of the through hole: About 4mm of total length: About 125mm maximum diameter of conduit: About 10mm catheter minimum diameter: About 6mm ring diameter: 25mm and 30mm	OW-12761
	THE VEXING PENIS JEWEL	Total length: 70mm insertion length: 62mm tail section (section third) maximum diameter: 10mm the middle part diameter: 8mm head diameter 8mm head cone entrance diameter: 6mm diameter: 4mm ring diameter: 30mm and 25mm	OW-12785
	THEFRISKY PENIS HEAD PLUG RING WITH BALL 32MM	Ring: 3.2mm thick and inside diameter of 32mm. Ball: Diameter of 10mm.	OW-12812
	THEFRISKY PENIS HEAD PLUG RING WITH BALL 25MM	Ring: 3.2mm thick and inside diameter of 25mm. Ball: Diameter of 10mm.	OW-12713
	THREE BALLS HEAD RING WITH SPERM STOPPER	Insertion length: 35mm ball diameter: the middle part of 10mm and 8mm on the pole can move the ring diameter: 30mm and 25mm	OW-12788
	THRU-HOLE PENIS PLUG LARGE SIZE	Diameter = 10.0mm (at it widest point). Total length = 70mm (40mm insertable length). That's about 2.75 inches, with 1.55 inches of insertable length. Through hole diameter is 5mm, the ring diameter 25mm.	OW-12784
	THRU-HOLE PENIS PLUG MEDIUM SIZE	Diameter = 8.0mm (at it widest point). Total length = 50mm (30mm insertable length). That's about 2 inches, with 1.15 inches of insertable length. Through hole diameter is 3mm, the ring diameter 25mm.	OW-12783
	TRIUNE STARTER PENIS WAND WITH OLIVE END AND 28MM GLANS RING	Length: 48mm Width: 8mm Glans Ring Diameter: 28mm Frenulum Ball: 7mm	OW-12718




MEDDICATE INTERNATIONAL

	TSUNAMI PENIS PLUG	The total length of 52mm, diameter 8mm, non through hole.	OW-12782
	TSUNAMI URETHRAL	Length: about 73mm maximum diameter of about: 12mm minimum diameter of about: 4mm (entrance)	OW-12752
	TUBESEX PENIS PLUG RIBBED WITH GLANS RING AND BALL 70MM X 8MM	TUBESEX PENIS PLUG RIBBED WITH GLANS RING AND BALL 70MM X 8MM	OW-12724
	ULTIMATE PRINCE'S WAND	Length: 100mm pipe diameter: 8mm diameter: 4mm ring diameter: 30mm	OW-12792
	URETHRAL STRETCHING PENIS PLUG	Length: the effective length of about 42.5mm: About 39mm diameter: About 7mm ring: 30mm and 25mm	OW-12802
	URETHRAL STRETCHING PENIS PLUG	Total length: 39mm insertion length: 25mm diameter: 7mm hole diameter approximately: 3mm ring diameter: 30mm and 25mm	OW-12798
	WAVE HOLE THROUGH URETHRAL ANCHOR	A hole all the way through. The total length is 145mm, the effective length is 130mm, diameter is 12mm, entrance diameter 6mm, the diameter of the ball is 15mm. hole diameter is 4mm.	OW-12771
	WAVE URETHRAL ANCHOR	The total length is 130mm, diameter is 10mm, the middle part of the diameter ranging from 5mm-8mm, entrance diameter about 6mm.	OW-12779
	WAVE URETHRAL ANCHOR	No hole. The total length is 145mm, the effective length is 130mm, diameter is 12mm, entrance diameter 6mm, the diameter of the ball is 15mm.	OW-12770









MEDDICATE INTERNATIONAL

	WIZARD STAFF PENIS PLUG	<ul style="list-style-type: none"> • Total Length: 2.75in./7cm • Insertable Length: 2in/5cm • Shaft Diameter: .5in/1.3cm 	OW-12781
	WOLF'S PLEASURE STICK	The total length is 148mm, diameter is 12mm. with 5 beads, beads, a 12mm, a 10mm three 8mm beads, beads, entrance diameter about 4mm.	OW-12777
	XNXXX PRINCES WAND WITH GLANS RING AND BALL	Length: 90mm Thickness: 8mm Diameter ring: 15mm, 25mm	OW-12707
	XTUBE SLENDER TWO STAGE PENIS PLUG WITH RING 10MM WIDE	XTUBE SLENDER TWO STAGE PENIS PLUG WITH RING 10MM WIDE	OW-12704
	YOKU JEWELLED SAPPHIRE TRIPLE RIDER PENIS PLUG	Approx 75mm long (65mm insertion length) and 3 undulating humps measuring 9mm diameter. Available in Diamond, Ruby, Sapphire, Amethyst, Emerald	OW-12804




Pin Wheels

	2 HEAD PIN WHEEL	Just sharp enough to stimulate nerve endings, this BDSM sex toy is a perfect couples toy for kinky foreplay. The wheel can evoke feelings of pleasure and tickle your partner when run across certain areas. Made from 100% medical grade stainless steel that's extremely safe, won't rust and is easy to clean.	OW-12906
	3 WHEEL PINWHEEL	The 3 Wheel Pinwheel is a BDSM device for sensation play, three rotating wheels with sharp spikes that are rolled across the skin.	OW-12902
	5 WHEEL PINWHEEL	The 5 Wheel Pinwheel has 95 stimulating needles on 5 individually rotating wheels each with 20 pins on each.	OW-12903






MEDDICATE INTERNATIONAL

	7 STEEL PINWHEELS OF PAIN	Product Details: Colour: Silver Weight: 100 g (3.5 oz) Length: 170 mm (6.7") Diameter of each wheel: 30 mm (1.2") First to last pin: 32 mm (1.3") Material: Medical Grade Stainless steel	OW-12905
	7 WHEEL WARTENBERG PINWHEEL	Approx 6.25" inches in length Due to the fact that these 7 head pinwheels are a nightmare to clean, it's important that they are a one person toy. Besides that, they are a wicked toy. It's ok to use on metal and perfect for cleaning this style pinwheels	OW-12904
	CLASSIC SINGLE PIN WHEEL COLOUR COATED	Classic Wartenberg Wheel single colour coated Available in all colours	OW-12908
	CLASSIC WARTENBERG PINWHEEL	The feeling of the pins as the wheel is rolled across the skin can drive a submissive wild with sensations. Across the nipples, down the back or all over the buttocks can cause extreme sensory excitement.	OW-12901
	MASTER SERIES WARTENBURG 5 REEL PINWHEEL	Measurements: 6.75 inches long, 1.5 inch wide wheel head. Material: Medical Grade Stainless Steel.	OW-12907
	THREE HEADER PINWHEEL	Three head pinwheel colour coated....Available in all colours	OW-12909
	WARTENBERG PINWHEEL	The classic Wartenberg Pinwheel is the perfect toy for exploring sensation play. The pinwheel consists of 22 sharp spikes that can be rolled across almost any body part to create a very unique experience. Wartenberg Sensation Pinwheel. 7" inch handle	OW-12900
<h2>Suspension BDSM Rings</h2>			
	BDSM SUSPENSION RING	Diameter : 8" Inch	OW-13000








MEDDICATE INTERNATIONAL

	BURNER SUSPENSION RING	Made by Stainless Steel Diameter : 8" Inch	OW-13001
	HEART SHAPED STAINLESS STEEL SUSPENSION RING	Made by Stainless Steel Measurement : 7.5" x 8"	OW-13002
	MASTER SERIES SHIBARI ROPE BONDAGE RING	Measurements: 7.88" inch internal diameter, 0.68" inch thick Material: Stainless Steel Also offer in : Aluminum if customer require with NMasood Surgicals & BDSM	OW-13003

Vibrators

	22MM THICK VIBRATOR	If you want something that stays hard and is always ready when you are then you need the 22mm Thick Vibrator! We have 8 inches of pleasure that will never let you down.	OW-13111
	BEADED BALL VIBRATOR	The Beaded Ball Vibrator is 14 beads of sensation. The balls are 8mm (5/16") of fantastic pleasure unlike any you've experienced before.	OW-13109
	CLITORAL VIBRATOR	The Measurements are as follows: Size: The Shaft Length is 94mm.The Shaft Thickness is 7mm - 12mm.The Head is 17mm	OW-13103
	EXTRA LONG URETHRAL VIBRATOR	The ultimate experience for a man. These vibrators are made just for your pleasure. They come equipped with an on and off switch and are made from all Surgical Steel. The Measurements are as follows: The Shaft length is about 7", 12"	OW-13101
	FIRECRACKER URETHRAL VIBRATOR	The "Firecracker" Vibrator will light you up and make you go boom. The ball is 5/16" of an inch at its widest point and 1 1/2" long, then, when you are ready for more, it goes to 1/2" wide and 6" long.	OW-13107

MEDDICATE INTERNATIONAL

	OLIVE SHAPED VIBRATOR	Length : 6 1/2 Olive : 3/8" by 3/4"	OW-13106
	RIBBED PENIS PLUG VIBRATOR	Insertable Length : 9.25" Inch	OW-13104
	ROMAN CANDLE URETHRAL VIBRATOR	The Roman Candle is the larger version of the "Firecracker". The smooth shaft is 5 1/2" long and goes to the ribbed portion for a total length of 8 1/2" of booming pleasure. The ball is 10mm at the end the smooth shaft 8mm the 13mm ribbed.	OW-13108
	SMALL VIBRATING SOUND	The Small Vibrating Sound is just what you need to get things started! A total of 5 inches long 316L surgical steel, it will meet all your basic needs!	OW-13110
	VIBE EASY URETHRAL VIBRATOR	The total length (tip to ring) is about 20cm. Penetration depth: more than 12cm, and which penetrates into the urethra, having a diameter of approximately 3.5 to approximately 8mm. Included is a battery. (Replenishment can conveniently ordered to be.)	OW-13105
	VIBRATING URETHRAL SOUND	Extra Large: 1.375 inches in circumference at the tip and .875 inches in circumference at the shaft. Total length of 12" with an insertable length of 6.5 inches	OW-13102
	VIBRATOR URETHRAL SOUND	It's impressive vibration made possible by its solid metal construction, featuring an on/off finger-screw switch and runs on a single AAA battery (not included). Length Size: Small 7"	OW-13100

Phone: +92 300 0616915
E-mail: info@meddicateint.com
Web: www.meddicateint.com
ADDRESS
Bounkan Islam Nager Road,
Sialkot 51310 Pakistan